Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

NORTON H. NICKERSON, Editor-in-Chief
JOAN Y. NICKERSON, Managing Editor

Associate Editors

DAVID BARRINGTON
A. LINN BOGLE
DAVID E. BOUFFORD
WILLIAM D. COUNTRYMAN
GARRETT E. CROW
RICHARD A. FRALICK
GERALD J. GASTONY
C. BARRE HELLQUIST
MICHAEL W. LEFOR
ROBERT T. WILCE

VOLUME 92

1990

The New England Botanical Club, Inc.
Harvard University Herbaria, 22 Divinity Ave., Cambridge, Mass. 02138

RHODORA, Vol. 92, No. 872, pp. 307–312, 1990

INDEX TO VOLUME 92

New scientific names are in **bold face**

Achene micromorphology of the Carex nigromarginata complex (section Acrocystis, Cyperaceae). 70–79
Additions to the flora of the Island of Newfoundland. 277–293
Amphicarpum purshii (Poaceae), a genus and species new to New England. 105–107
Angelo, Ray. Some new records for New England and New England states. II. 294–296
ANNOUNCEMENTS
Atlantic Coastal Plain Flora Workshop 210
Hesler Visiting Professorships 303
New England Botany Graduate Student Meeting (1990) 45
New York Flora Association 303
Society for Economic Botany 111
XVth International Botanical Congress Tokyo 45
Antennaria (Asteraceae: Inuleae) in Arctic North America: chromosome numbers and taxonomic notes. The genus, 264–276
Arctic North America, The genus Antennaria (Asteraceae: Inuleae) in,: chromosome numbers and taxonomic notes. 264–276
Arizona. A new Spiranthes (Orchidaceae) from the Cienegas of southernmost, 213–231
Aster anticostensis, an endemic of northeastern North America: biology and conservation. 129–141
Asteraceae. The first records of Gnaphalium sylvaticum and Empetrum eamesii ssp. atropurpureum (Empetraceae) in New York State. 120–125
Asteraceae. The genus Antennaria (Inuleae) in Arctic North America: chromosome numbers and taxonomic notes. 264–276
Austin, Daniel F., Julie L. Jones, and Bradley C. Bennett. Endangered plants of Fakahatchee Strand State Preserve. 27–35

Bell, C. Ritchie *see* Bennett, Bradley C.
Bennett, Bradley C. *see* Austin, Daniel F.
Bennett, Bradley C., C. Ritchie Bell and Richard T. Boulware. Geographic variation in alkaloid content of Sanguinaria canadensis (Papaveraceae). 57–69
Berkshire County, Massachusetts. Phytogeography of, 232–256
Bisporangiate strobili with proliferation on Picea abies. Recurrent appearance of, 257–263
BOOK REVIEWS
A Vanishing Heritage: Wildflowers of Cape Cod. 108–110
Eastern North America as Seen by a Botanist: Pictorial. 297–298
Ferns and Fern Allies of Canada. 207–208
North American Terrestrial Vegetation. 209
Vanishing Heritage, A,: Wildflowers of Cape Cod. 108–110
Vascular Flora of Ohio, The, Volume Two: The Dicotyledoneae of Ohio—Part Three: Asteraceae. 299–302
Bouchard, André *see* Hay, Stuart
Boulware, Richard T. *see* Bennett, Bradley C.
Brouillet, Luc *see* Hay, Stuart
Brouillet, Luc *see* Labrecque, J.
Burk, C. John *see* Holland, Marjorie M.

Carex aestivalis in Vermont. 36–37
Carex nigromarginata complex (section Acrocystis, Cyperaceae). Achene micromorphology of the, 70–79
Chinnappa, C. C. *see* Chmielewski, J. G.
Chmielewski, J. G. and C. C. Chinnap-

pa. The genus Antennaria (Asteraceae: Inuleae) in Arctic North America: chromosome numbers and taxonomic notes. 264–276
Chromosome numbers and taxonomic notes. The genus Antennaria (Asteraceae: Inuleae) in Arctic North America:, 264–276
Cienegas of southernmost Arizona. A new Spiranthes (Orchidaceae) from the, 213–231
Cistaceae. Rare plants in coastal heathlands: observation on Corema conradii (Empetraceae) and Helianthemum dumosum. 22–26
Connecticut River oxbows, The marsh vegetation of three,: a ten-year comparison. 166–204
Conservation. Aster anticostensis, an endemic of northeastern North America: biology and, 129–141
Corema conradii (Empetraceae) and Helianthemum dumosum (Cistaceae). Rare plants in coastal heathlands: observations on, 22–26
Crow, Garrett E. *see* Weatherbee, Pamela A.
Cyperaceae. Carex nigromarginata complex (section Acrocystis). Achene micromorphology of the, 70–79
Cypripedium montanum Dougl. ex Lindl. A new form of, 47–49
Cypripedium montanum Dougl. ex Lindl. forma **praetertinctum** Sheviak. 48

D'Arcy, Nancy S. *see* D'Arcy, William G.
D'Arcy, William, G., Nancy S. D'Arcy and Richard C. Keating. Scented anthers in the Solanaceae. 50–53
DEDICATION Herman R. Sweet *ii* January
Diabase glades in North Carolina. Disjunct populations of the alleged serpentine endemic, Aster depauperatus (Porter) Fern., on, 17–21
Dibble, Allison C., Sally C. Rooney, Harold Hinds, W. Donald Hudson, Jr., and Bruce A. Sorrie. Rediscovery of some rare plants on Mt. Katahdin. 38–41
Disjunct populations of the alleged serpentine endemic, Aster depauperatus (Porter) Fern., on diabase glades in North Carolina. 17–21
Documentation on longevity of Goodyera pubescens leaves and update on Triphora trianthophora in New Hampshire. 126–128
"Dream of the Woods. A," a recently rediscovered piece of early Fernaldiana 113–119
Dunwiddie, Peter W. Rare plants in coastal heathlands: observations on Corema conradii (Empetraceae) and Helianthemum dumosum (Cistaceae). 22–26
Dunwiddie, Peter W. *see* Sorrie, Bruce A.

Empetraceae. First records of Gnaphalium sylvaticum (Asteraceae) and Empetrum eamesii ssp. atropurpureum in New York State. The, 120–125
Empetraceae. Rare plants in coastal heathlands: observations on Corema conradii and Helianthemum dumosum (Cistaceae). 22–26
Empetrum eamesii ssp. atropurpureum (Empetraceae) in New York State. The first records of Gnaphalium sylvaticum (Asteraceae) and, 120–125
Endangered plants of Fakahatchee Strand State Preserve. 27–35

Fakahatchee Strand State Preserve. Endangered plants of, 27–35
Fernaldiana. "A Dream of the Woods": A recently discovered piece of early, 113–119
First records of Gnaphalium sylvaticum (Asteraceae) and Empetrum eamesii ssp. atropurpureum (Empetraceae) in New York State. The, 120–125
Floral shoots of Monotropa hypopitys

(Monotropaceae). Observations on the, 54–56

Gavin Bog and Prairie Nature Preserve, Lake County, Illinois. Vascular flora of the wetland and prairie communities of, 142–165
Geographic variation in alkaloid content of Sanguinaria canadensis (Papaveraceae). 57–69
Gnaphalium sylvaticum (Asteraceae) and Empetrum eamesii ssp. atropurpureum (Empetraceae) in New York State. The first records of, 120–125
Goodyera pubescens leaves, documentation on longevity of, and update on Triphora trianthophora in New Hampshire. 126–128
Guatemala. A new Schiedeella (Orchidaceae: Spiranthinae) from, 11–16

Hay, Stuart G., André Bouchard and Luc Brouillet. Additions to the flora of the Island of Newfoundland. 277–293
Heathlands, coastal, Rare plants in,: observations on Corema conradii (Empetraceae) and Helianthemum dumosum (Cistaceae). 22–26
Helianthemum dumosum (Cistaceae). Rare plants in coastal heathlands: observations on Corema conradii (Empetraceae) and, 22–26
Hinds, Harold *see* Dibble, Allison C.
HISTORICAL NOTE
Notes on the difficulties experienced by Spruce in his collecting. 42–44
Hudson, W. Donald, Jr. *see* Dibble, Allison C.

Illinois. Vascular flora of the wetland and prairie communities of Gavin Bog and Prairie Nature Preserve, Lake County, 142–165

Jenkins, Jerry *see* Zika, Peter F.
Jones, Julie L. *see* Austin, Daniel F.

Kass, Lee B. *see* Kelloff, Carol L.
Keating, Richard C. *see* D'Arcy, William G.
Keenan, Philip E. Documentation on longevity of Goodyera pubescens leaves and update on Triphora trianthophora in New Hampshire. 126–128
Kelloff, Carol L., Lee B. Kass and Anthony J. Kowalski. Thomas F. Lucy's "Upper Susquehanna Flora" herbarium rediscovered. 1–10
Kernell, Judith *see* Wright, Joan B.
Kowalski, Anthony J. *see* Kelloff, Carol L.

Labrecque, Jacques and Luc Brouillet. Aster anticostensis, an endemic of northeastern North America: biology and conservation. 129–141
Levy, Foster and Robert L. Wilbur. Disjunct populations of the alleged serpentine endemic, Aster depauperatus (Porter) Fern., on diabase glades in North Carolina. 17–21
Levy, Gerald F. *see* Wright, Joan B.
Lucy('s), Thomas F. "Upper Susquehanna Flora" herbarium rediscovered. 1–10

Marjorie M. Holland and C. John Burk. The marsh vegetation of three Connecticut River oxbows: a ten-year comparison. 166–204
Marsh vegetation of three Connecticut River oxbows, The,: a ten-year comparison. 166–204
Massachusetts. Two rare taxa rediscovered at Mt. Tom, Holyoke, Hampden Co., 205–206
Massachusetts. Phytogeography of Berkshire County, 232–256
Mehrhoff, Leslie J. "A Dream of the Woods": A recently discovered piece of early Fernaldiana. 113–119
Monotropa hypopitys (Monotropaceae). Observations on the floral shoots of, 54–56
Monotropaceae. Monotropa hypopi-

tys. Observations on the floral shoots of, 54–56
Mt. Katahdin. Rediscovery of two rare taxa at, 38–41
Mt. Tom, Holyoke, Hampden Co., Massachusetts. Two rare taxa rediscovered at, 205–206
Musselman, Lytton J. *see* Wright, Joan B.
Myosurus minimus (Ranunculaceae) in New England with notes on flower morphology. 103–104

New England and New England states. II. Some new records for, 294–296
NEW ENGLAND NOTES
Amphicarpum purshii (Poaceae), a genus and species new to New England. 105–107
Carex aestivalis in Vermont. 36–37
Myosurus minimus (Ranunculaceae) in New England with notes on flower morphology. 103–104
Rediscovery of some rare plants on Mt. Katahdin. 38–41
Some new records for New England and New England States. II. 294–296
Two rare taxa rediscovered at Mt. Tom, Holyoke, Hampden Co., Massachusetts. 205–206
New England, Myosurus minimus (Ranunculaceae) in, with notes on flower morphology. 103–104
New England. Amphicarpum purshii (Poaceae), a genus and species new to, 105–107
New Hampshire. Documentation on longevity of Goodyera pubescens leaves and update on Triphora trianthophora in, 126–128
New records for New England and New England states. II. Some, 294–296
New York State. The first records of Gnaphalium sylvaticum (Asteraceae) and Empetrum eamesii ssp. atropurpureum (Empetraceae) in, 120–125
Newfoundland. Additions to the flora of the Island of, 277–293
North America, Aster anticostensis, an endemic of northeastern,: biology and conservation 129–141
North America, The genus Antennaria (Asteraceae: Inuleae) in Arctic, chromosome numbers and taxonomic notes. 264–276.
North Carolina. Disjunct populations of the alleged serpentine endemic, Aster depauperatus (Porter). Fern., on diabase glades in, 17–21
Notes on the difficulties experienced by Spruce in his collecting. 42–44

Observations on the floral shoots of Monotropa hypopitys (Monotropaceae). 54–56
Olson, Randall A. Observations on the floral shoots of Monotropa hypopitys (Monotropaceae). 54–56
Orchidaceae. A new Schiedeella from Guatemala. 11–16
Orchidaceae. A new Spiranthes from the Cienegas of southernmost Arizona. 213–231

Papaveraceae. Sanguinaria canadensis. Geographic variation in alkaloid content of, 57–69
Phytogeography of Berkshire County, Massachusetts. 232–256
Picea abies. Recurrent appearance of bisporangiate strobili with proliferation on, 257–263
Poaceae. Amphicarpum purshii, a genus and species new to New England. 105–107
Prairie communities of Gavin Bog and Prairie Nature Preserve, Lake County, Illinois. Vascular flora of the wetland and, 142–165

Range expansions of some grasses in Vermont. 80–89
Ranunculaceae. Myosurus minimus in New England with notes on flower morphology. 103–104
Rare plants in coastal heathlands: observations on Corema conradii (Em-

petraceae) and Helianthemum dumosum (Cistaceae). 22–26
Rare plants on Mt. Katahdin. Rediscovery of some, 38–41
Rare taxa, Two, rediscovered at Mt. Tom, Holyoke, Hampden Co., Massachusetts. 205–206
Recurrent appearance of bisporangiate strobili with proliferation on Picea abies. 257–263
Rediscovery of some rare plants on Mt. Katahdin. 38–41
Rettig, J. H. Achene micromorphology of the Carex nigromarginata complex (section Acrocystis, Cyperaceae). 70–79
Reviewers. List of, 304
Rooney, Sally C. *see* Dibble, Allison C.

Sanguinaria canadensis (Papaveraceae). Geographic variation in alkaloid content of, 57–69
Scented anthers in the Solanaceae. 50–53
Schiedeella (Orchidaceae: Spiranthinae) from Guatemala. A new, 11–16
Schiedeella schlechteriana Szlachetko & Sheviak, *sp. nov.* 11, fig. 13
Schultes, Richard E. Notes on the difficulties experienced by Spruce in his collecting. 42–44
Seashore State Park, Virginia Beach, Virginia. The vascular flora of, 90–102
Sheviak, Charles J. A new form of Cypripedium montanum Dougl. ex Lindl. 47–49
Sheviak, Charles J. A new Spiranthes (Orchidaceae) from the Cienegas of southernmost Arizona. 213–231
Sheviak, Charles. J. *see* Szlachetko, Dariusz L.
Solanaceae. Scented anthers in the, 50–53
Solecki, Mary Kay *see* Taft, John B.
Sorrie, Bruce A. and Peter W. Dunwiddie. Amphicarpum purshii (Poaceae), a genus and species new to New England. 105–107
Sorrie, Bruce A. Myosurus minimus (Ranunculaceae) in New England with notes on flower morphology. 103–104
Sorrie, Bruce A. *see* Dibble, Allison C.
Spiranthes delitescens Sheviak, *sp. nov.* 215, fig. 214
Spiranthes, (Orchidaceae) from the Cienegas of southernmost Arizona. A new, 213–231
Spruce, [Richard]. Notes on the difficulties experienced by, in his collecting. 42–44
Susquehanna flora. Thomas F. Lucy's herbarium of, rediscovered. 1–10
Sweet, Herman R. Dedication. *ii* January
Szlachetko, Dariusz L. and Charles J. Sheviak. A new Schiedeella (Orchidaceae: Spiranthinae) from Guatemala. 11–16

Tabor, Christopher A. Recurrent appearance of bisporangiate strobili with proliferation on Picea abies. 257–263
Taft, John B. and Mary Kay Solecki. Vascular flora of the wetland and prairie communities of Gavin Bog and Prairie Nature Preserve, Lake County, Illinois. 142–165
Triphora trianthophora in New Hampshire. Documentation on longevity of Goodyera pubescens leaves and update on, 126–128

Upper Susquehanna flora. Thomas F. Lucy's herbarium of, rediscovered. 1–10

Vascular flora of Seashore State Park, Virginia Beach, Virginia. The, 90–102
Vascular flora of the wetland and prairie communities of Gavin Bog and Prairie Nature Preserve, Lake County, Illinois. 142–165
Vermont. Carex aestivalis in, 36–37
Vermont. Range expansions of some grasses in, 80–89
Virginia. The vascular flora of Seashore State Park, Virginia Beach, 90–102

Weatherbee, Pamela A. and Garrett E. Crow. Phytogeography of Berkshire County, Massachusetts. 232–256
Wetland and prairie communities of Gavin Bog and Prairie Nature Preserve, Lake County, Illinois. Vascular flora of the, 142–165
Wilbur, Robert L. *see* Levy, Foster
Williams, Andrew H. Two rare taxa rediscovered at Mt. Tom, Holyoke, Hampden Co., Massachusetts. 205–206
Wright, Joan B., Lytton J. Musselman, Gerald F. Levy and Judith L. Kernell. The vascular flora of Seashore State Park, Virginia Beach, Virginia. 90–102

Zika, Peter F. and Jerry C. Jenkins. Carex aestivalis in Vermont. 36–37
Zika, Peter F. First records of Gnaphalium sylvaticum (Asteraceae) and Empetrum eamesii ssp. atropurpureum (Empetraceae) in New York State. The, 120–125
Zika, Peter F. Range expansions of some grasses in Vermont. 80–89